

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6	(phase\$1 or timing\$1 or time\$1) near3 (error\$1 or variation\$1) same (clock\$4 or tim\$3) near3 recover\$3 same (sampl\$4 or digitiz\$4) same (baseband\$1 or (base adj1 band\$4)) same (extract\$4 or detect\$4 or determin\$4 or identify\$4 or identification or measur\$5) near3 phase\$1 and (jitter\$1 or wander\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/10 13:46
S2	446	(phase\$1 or timing\$1 or time\$1) near3 (error\$1 or variation\$1) and (clock\$4 or tim\$3) near3 recover\$3 and (sampl\$4 or digitiz\$4) and (baseband\$1 or (base adj1 band\$4) or downconvert\$4 or (down adj1 convert\$4)) and (extract\$4 or detect\$4 or determin\$4 or identify\$4 or identification or measur\$5) near3 phase\$1 and (jitter\$1 or wander\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/03/29 11:34
S3	25	(phase\$1 or timing\$1 or time\$1) near3 (error\$1 or variation\$1) and (clock\$4 or tim\$3) near3 recover\$3 same (sampl\$4 or digitiz\$4) same (baseband\$1 or (base adj1 band\$4) or downconvert\$4 or (down adj1 convert\$4)) same (extract\$4 or detect\$4 or determin\$4 or identify\$4 or identification or measur\$5) near3 phase\$1 and (jitter\$1 or wander\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/06 17:35
S4	75	(phase\$1 or timing\$1 or time\$1) near3 (error\$1 or variation\$1) and (clock\$4 or tim\$3) near3 recover\$3 same (sampl\$4 or digitiz\$4) same (baseband\$1 or (base adj1 band\$4) or downconvert\$4 or (down adj1 convert\$4)) and (extract\$4 or detect\$4 or determin\$4 or identify\$4 or identification or measur\$5) near3 phase\$1 and (jitter\$1 or wander\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/06 17:28

EAST Search History

S5	24	S2 and itu near3 standard\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/06 17:54
S6	26	(phase\$1 or timing\$1 or time\$1) near3 (error\$1 or variation\$1) and (clock\$4 or tim\$3) near3 recover\$3 same (sampl\$4 or digitiz\$4) same (baseband\$1 or (base adj1 band\$4) or downconvert\$4 or (down adj1 convert\$4)) same (extract\$4 or detect\$4 or determin\$4 or identify\$4 or identification or measur\$5 or calibrat\$4) near3 phase\$1 and (jitter\$1 or wander\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/06 17:30
S8	57	S7 and itu near3 standard\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/09 10:24
S9	134	(phase\$1 or timing\$1 or time\$1) near3 (error\$1 or variation\$1) and ((clock\$4 or tim\$3) near3 recover\$3 or pll or (phase near2 lock\$4 near2 (oscillat\$4 or loop\$1))) same (sampl\$4 or digitiz\$4) same (baseband\$1 or (base adj1 band\$4) or downconvert\$4 or (down adj1 convert\$4)) and (extract\$4 or detect\$4 or determin\$4 or identify\$4 or identification or measur\$5) near3 phase\$1 and (jitter\$1 or wander\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/09 10:25
S10	39	(phase\$1 or timing\$1 or time\$1) near3 (error\$1 or variation\$1) and ((clock\$4 or tim\$3) near3 recover\$3 or pll or (phase near2 lock\$4 near2 (oscillat\$4 or loop\$1))) same (sampl\$4 or digitiz\$4) same (baseband\$1 or (base adj1 band\$4) or downconvert\$4 or (down adj1 convert\$4)) same (extract\$4 or detect\$4 or determin\$4 or identify\$4 or identification or measur\$5) near3 phase\$1 and (jitter\$1 or wander\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/09 10:35

EAST Search History

S11	40	(phase\$1 or timing\$1 or time\$1) near3 (error\$1 or variation\$1) and ((clock\$4 or tim\$3) near3 recover\$3 or pll or (phase near2 lock\$4 near2 (oscillat\$4 or loop\$1))) same (sampl\$4 or digitiz\$4) same (baseband\$1 or (base adj1 band\$4) or downconvert\$4 or (down adj1 convert\$4)) same (extract\$4 or detect\$4 or determin\$4 or identify\$4 or identification or measur\$5 or calibrat\$4) near3 phase\$1 and (jitter\$1 or wander\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/09 11:24
S12	8	(phase\$1 or timing\$1 or time\$1) near3 (error\$1 or variation\$1) and (clock\$4 or (time\$1 or timing)) near2 recover\$3 with (input\$3 or reception or receiv\$4) same (decimat\$4 or downsampl\$4 or (down adj1 sampl\$4) or (frequency near2 divid\$3)) with ((a near2 d) or adc\$1 or (analog near2 digital) or sampl\$3) same phase near3 (calibrat\$4 or measur\$4 or detect\$4 or determin\$4 or extract\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/09 11:31
S15	30	(phase\$1 or timing\$1 or time\$1) near3 (error\$1 or variation\$1) and (extract\$4 or detect\$4 or determin\$4 or identify\$4 or identification or measur\$5) near3 phase\$1 same (jitter\$1 or wander\$1) same (dsp\$1 or (digital near2 signal near2 process\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/09 19:20
S18	29	(extract\$4 or detect\$4 or determin\$4 or identify\$4 or identification or measur\$5) near3 phase\$1 and (jitter\$1 or wander\$1) and (sampl\$4 or digiti\$5 or a adj2 d or adc\$1) with (decimat\$4 or (divid\$4 near2 frequenc\$3)) same (lock\$4 or fix\$4) near3 frequenc\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/10 12:26
S20	3830	(375/316,326,327,354,355).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/21 14:40

EAST Search History

S21	313	S20 and (phase\$1 or jitter\$1) near3 measur\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/03/21 14:41
S29	6608	(375/316,326,327,354,355,373,376).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/21 14:45
S30	11	S29 and (phase\$1 or jitter\$1 or wander\$1) near3 measur\$5 and clock\$4 near3 recover\$4 same (sampl\$4 or digiti\$5 or "a/d" or "adc" or (analog\$1 near3 digital\$2)) same (down\$2conver\$5 or base\$2band\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/03/21 14:45
S32	11	S31 and (phase\$1 or jitter\$1 or wander\$1) near3 measur\$5 and clock\$4 near3 recover\$4 same (sampl\$4 or digiti\$5 or "a/d" or "adc" or (analog\$1 near3 digital\$2)) same (down\$2conver\$5 or base\$2band\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/03/21 15:02
S34	7480	(375/316,326,327,354,355,371,373,376).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/21 16:26
S35	64	S34 and phase\$1 near3 (timing\$1 or jitter\$1 or wander\$1 or error\$1 or variation\$1 or displac\$5) and clock\$4 near3 recover\$4 same (sampl\$4 or digiti\$5 or "a/d" or "adc" or (analog\$1 near3 digital\$2)) same (down\$2conver\$5 or base\$2band\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/03/21 16:26
S36	195	(clock\$4 or tim\$3) near3 recover\$3 same (sampl\$4 or digiti\$5) and (baseband\$1 or (base adj1 band\$4) or down\$2conver\$5 or (down adj1 conver\$5) or (intermediate\$1 near2 frequenc\$3)) and (in\$2phase\$1 or quadrature\$1 or q\$1) same (extract\$4 or detect\$4 or determin\$4 or identify\$4 or identification or measur\$6) near3 phase\$1 and (jitter\$1 or wander\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/03/29 11:39

EAST Search History

S37	142	(clock\$4 or tim\$3) near3 recover\$3 same (sampl\$4 or digiti\$5) and (baseband\$1 or (base adj1 band\$4) or down\$2conver\$5 or (down adj1 conver\$5) or (intermediate\$1 near2 frequenc\$3)) and (in\$2phase\$1 or quadrature\$1 or q\$1) same (extract\$4 or detect\$4 or determin\$4 or identify\$4 or identification or measur\$6) near3 phase\$1 and (jitter\$1 or wander\$1) and (pll\$1 or (phase near2 lock\$4 near2 loop\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/03/29 11:50
S38	194	(clock\$4 or tim\$3) near3 recover\$3 same (sampl\$4 or digiti\$5 or "a/d" or "adc" or (analog\$2 near2 digital near2 conver\$5)) and (baseband\$1 or (base adj1 band\$4) or down\$2conver\$5 or (down adj1 conver\$5) or (intermediate\$1 near2 frequenc\$3)) and (in\$2phase\$1 or quadrature\$1 or q\$1) same (extract\$4 or detect\$4 or determin\$4 or identify\$4 or identification or measur\$6) near3 phase\$1 and (jitter\$1 or wander\$1) and (pll\$1 or (phase near2 lock\$4 near2 loop\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/03/29 11:54
S39	16	(clock\$4 or tim\$3) near3 recover\$3 same (sampl\$4 or digiti\$5 or "a/d" or "adc" or (analog\$2 near2 digital near2 conver\$5)) same (baseband\$1 or (base adj1 band\$4) or down\$2conver\$5 or (down adj1 conver\$5) or (intermediate\$1 near2 frequenc\$3)) same (in\$2phase\$1 or quadrature\$1 or q\$1) same (extract\$4 or detect\$4 or determin\$4 or identify\$4 or identification or measur\$6) near3 phase\$1 and (jitter\$1 or wander\$1) and (pll\$1 or (phase near2 lock\$4 near2 loop\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/03/29 11:58

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4953	(375/371,373,375,376).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/03/29 14:43
L2	194	(clock\$4 or tim\$3) near3 recover\$3 same (sampl\$4 or digiti\$5 or "a/d" or "adc" or (analog\$2 near2 digital near2 conver\$5)) and (baseband\$1 or (base adj1 band\$4) or down\$2conver\$5 or (down adj1 conver\$5) or (intermediate\$1 near2 frequenc\$3)) and (in\$2phase\$1 or quadrature\$1 or q\$1) same (extract\$4 or detect\$4 or determin\$4 or identify\$4 or identification or measur\$6) near3 phase\$1 and (jitter\$1 or wander\$1) and (pll\$1 or (phase near2 lock\$4 near2 loop\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/03/29 14:43
L3	16	1 and L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/03/29 14:55
L4	3542	(327/141,147,156,233).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/03/29 14:55
L5	1587	(455/67.16,139,180.3,260).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/03/29 14:56
L6	1	2 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/03/29 14:57
L7	0	2 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/03/29 14:57

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	2	("20020136330").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/03/29 15:24
L9	2	("6519281").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/03/29 15:29
L10	232	(375/226).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/03/29 15:29
L12	4	((("5299257") or ("5490199")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/03/29 15:33

Day : Wednesday

Date: 3/29/2006

Time: 15:35:22

 PALM INTRANET**Inventor Name Search Result**

Your Search was:

Last Name = BISSET

First Name = DAVID

09/494, 375
6, 519, 281 Taylor et al, David F.

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<u>10084498</u>	Not Issued	80	02/28/2002	Network measurement method and apparatus	BISSET, DAVID ALEXANDER
<u>10685639</u>	<u>7020568</u>	150	10/15/2003	APPARATUS AND METHOD FOR GENERATING WANDER NOISE	BISSET, DAVID ALEXANDER
<u>09868486</u>	<u>6671592</u>	150	06/18/2001	AUTONOMOUS VEHICULAR APPLIANCE, ESPECIALLY VACUUM CLEANER	BISSET, DAVID LINDSEY
<u>09868492</u>	<u>6493612</u>	150	06/18/2001	SENSORS ARRANGEMENT	BISSET, DAVID LINDSEY
<u>09868493</u>	<u>6590222</u>	150	06/18/2001	LIGHT DETECTION APPARATUS	BISSET, DAVID LINDSEY
<u>09939874</u>	<u>6774596</u>	150	11/09/2001	INDICATOR FOR A ROBOTIC MACHINE	BISSET, DAVID LINDSEY
<u>10031604</u>	<u>6605156</u>	150	01/23/2002	ROBOTIC FLOOR CLEANING DEVICE	BISSET, DAVID LINDSEY
<u>06870474</u>	<u>4927509</u>	150	06/04/1986	BIPOLAR ELECTROLYZER	BISSETT, DAVID

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name	First Name	
bisset	david	<input type="button" value="Search"/>

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)